## IN THE CLAIMS:

Please cancel Claims 6-24 without prejudice or disclaimer. Please add new claims 25-29.

- (original) An earpiece light comprising
   an ear support attached to a power supply housing;
   said power supply housing having a power supply and a lamp arm with a distal end; and,
   said power supply connected to a light source mounted on the distal end of the lamp arm.
- 2. (original) The earpiece light of Claim 1 where the lamp arm is pivotally attached to the power supply housing.
  - 3. (original) The earpiece light of Claim 1 where the lamp arm is extendible.
- 4. (original) The earpiece light of Claim 1 where the power supply housing further comprises a dimmer control for the light source.
- 5. (original) The earpiece light of Claim 1 where the power supply housing further comprises a power switch for the light source.
- 6. (cancelled) An earpiece light for a user having an outer ear with a crest of helix and an external auditory canal; the earpiece light comprising:

an ear support for placement behind the crest of helix, attached to a power supply housing for placement over the external auditory canal;

said power supply housing having a power supply and a lamp arm with a distal end extended from the power supply housing; and,

said power supply connected to a light source mounted on the distal end of the lamp arm.

- 7. (cancelled) The improved earpiece light of Claim 6 where the lamp arm is pivotally attached to the power supply housing.
  - 8. (cancelled) The improved earpiece light of Claim 6 where the lamp arm is extendible.

- 9. (cancelled) The earpiece light of Claim 6 where the power supply housing further comprises a dimmer control for the light source.
- 10. (cancelled) The earpiece light of Claim 6 where the power supply housing further comprises a power switch for the light source.
  - 11. (cancelled) An earpiece light comprising:

a power supply housing hanging from an ear support;

said power supply housing having a power supply and a lamp arm with a distal end, the lamp arm positioned below the ear support; and,

said power supply connected to a light source mounted on the distal end of the lamp arm.

- 12. (cancelled) The improved earpiece light of Claim 11 where the lamp arm is pivotally attached to the power supply housing.
- 13. (cancelled) The improved earpiece light of Claim 11 where the lamp arm is extendible.
- 14. (cancelled) The earpiece light of Claim 11 where the power supply housing further comprises a dimmer control for the light source.
- 15. (cancelled) The earpiece light of Claim 11 where the power supply housing is pivotally connected to the ear support.
- 16. (cancelled) The earpiece light of Claim 11 where the light source is a light emitting diode.
  - 17. (cancelled) The earpiece light of Claim 11 where the ear support is flexible.
- 18. (cancelled) The earpiece light of Claim 11 where the power supply housing is detachable from the ear support.
  - 19. (cancelled) The earpiece light of Claim 11 where the lamp arm is flexible.

- 20. (cancelled) The earpiece light of Claim 11 where the light source is a laser.
- 21. (cancelled) The earpiece light of Claim 11 where a glare shield is mounted on the distal end of the lamp arm.
- 22. (cancelled) The earpiece light of Claim 16 where the power supply housing further comprises an oscillating circuit connected to the light emitting diode for oscillating the light emitting diode.
- 23. (cancelled) The earpiece light of Claim 11 where the power supply housing further comprises an adaptor jack to receive power from an alternate power supply.
- 24. (cancelled) The earpiece light of Claim 23 where the power supply is a battery rechargeable via power received by the adaptor jack from the alternate power supply.
  - 25. (new) An earpiece light comprising:
    a curved ear support attached to a power supply housing;
    said power supply housing having a power supply and a lamp arm with a distal end; and,
- 26. (new) The earpiece light of Claim 25 where the power supply housing is detachable from the curved ear support.
  - 27. (new) The earpiece light of Claim 25 where the lamp arm is extendible.

said power supply connected to a light source mounted on the distal end of the lamp arm.

- 28. (new) The earpiece light of Claim 25 where the curved ear support is wearable around a crest of helix of an outer ear.
  - 29. (new) The earpiece light of Claim 25 where the curved ear support is flexible.